



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

H. H. Mitchell: "Determination of the finite quaternary linear groups."

L. S. Dederick: "On the character of a transformation in the neighborhood of a point where its Jacobian vanishes."

THE January number (Vol. 19, No. 4) of the *Bulletin of the American Mathematical Society* contains: Report of the October meeting of the society, by F. N. Cole; Report of the October meeting of the San Francisco Section, by T. M. Putnam; Report of the Cambridge meeting of the International Congress of Mathematicians, Sections II.-IV., by Virgil Snyder; Report of the Münster meeting of the German Mathematical Society, by Virgil Snyder; "Shorter Notices": Hulburt's Differential and Integral Calculus, by D. D. Leib; Voigt's Theorie der Zahlreihen und der Reihengleichungen, by R. D. Carmichael; "Notes"; and "New Publications."

THE February number of the *Bulletin* contains: Report of the sixth regular meeting of the Southwestern Section, by J. N. Van der Vries; "Some special boundary problems in the theory of harmonic functions," by T. H. Gronwall; "Note on Fermat's last theorem," by R. D. Carmichael; "Integral equations": review of Lalesco's Introduction à la Théorie des Equations intégrales and Heywood and Frechet's L'Equation de Fredholm et ses Applications à la Physique mathématique, by W. R. Longley; "An advance in theoretical mechanics": review of E. and F. Cosserat's Théorie des Corps déformables, by E. B. Wilson; "Shorter Notices": Fagnano's Opere matematiche, Heath's Method of Archimedes recently discovered by Heiberg, and Höfler's Didaktik des mathematischen Unterrichts, by D. E. Smith; Poincaré's Wert der Wissenschaft, by J. B. Shaw; V. and K. Kommerell's Spezielle Flächen und Theorie der Strahlensysteme, by E. B. Cowley; Horn's Einführung in die Theorie der partiellen Differentialgleichungen, by A. R. Crathorne; Forsyth's Lehrbuch der Differentialgleichungen and Poincaré's Calcul des Probabilités, by R. D. Carmichael; Lamb's Dynamical Theory of Sound, by E. B. Wilson; "Notes"; and "New Publications."

THE DIAGRAMS IN PROFESSOR THORNDIKE'S ADDRESS ON EDUCATIONAL DIAGNOSIS

THROUGH a misunderstanding the lettering was not given for the diagrams in Professor Thorndike's vice-presidential address before the American Association for the Advancement of Science, printed in SCIENCE for January 24. They are here reproduced with the inscriptions.




FIG. 4. The median expectation of length of stay in the New York City high schools, in the case of pupils who reported, at entrance to high schools, as shown at the left of the diagram, choice of occupation and intended length of stay.




FIG. 5(a). The number of pupils, reporting themselves at entrance as expecting to complete the course, who leave in each successive year.




FIG. 5(b). The number of pupils, reporting themselves as expecting *not* to complete the course, who leave in each successive year.




FIG. 6. The median expectation of length of stay in high school for pupils according to the family's monthly expense for rental.




FIG. 7. The median expectation of length of stay in high school of pupils who during the first term were rated by their teachers as shown at the left of the diagram.




FIG. 8(a). The number of pupils, ranked in the top tenth for ability, who leave in each successive year.




FIG. 8(b). The number of pupils, ranked in the bottom tenth for ability, who leave in each successive year.

SPECIAL ARTICLES

A WILD HOST-PLANT OF THE BOLL-WEEVIL IN ARIZONA

As cultivated cotton is the only plant thus far known to harbor the boll-weevil, the existence of another host-plant of these destructive insects may be worthy of notice. The plant